

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S178	108991	monitor\$3 same (command\$1 or message\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:20
S179	68061	monitor\$3 same (command\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:20
S180	31451	monitor\$3 with (command\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:21
S181	61	monitor\$3 with (post\$3 near command\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:21
S182	48	S181 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 18:43
S183	9232	(709/223-225).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 16:37
S184	7044	S183 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:37
S185	174	S184 and ((text near messaging) or IRC or (instant near messaging))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 18:44
S186	11	"6415318"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:55

S18 7	50	"6145001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 16:55
S18 8	68061	monitor\$3 same command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 18:43
S18 9	25852	S180 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 18:43
S19 0	488	S183 and S189	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 18:43
S19 1	14	S190 and ((text near messaging) or IRC or (instant near messaging))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 18:44
S19 2	9232	(709/223-225).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 19:10
S19 3	0	("(p2por(peer\$1neartonearpeer\$1) andshar\$3andnapsterandIM").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 19:57
S19 4	5744	(instant near messaging)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:12
S19 5	2446	S194 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:58
S19 6	451	S195 and (monitor\$1 same server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:40

S19 7	438	S196 and (command or instruction or IP or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:14
S19 8	245	S196 and (command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 20:03
S19 9	17	S196 and (command) and irc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:40
S20 0	939	(709/205).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 19:40
S20 1	165	S200 and (monitor\$1 same server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:40
S20 2	108	S200 and (monitor\$1 with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:40
S20 3	87	S202 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:40
S20 4	3	S203 and (command) and irc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:59
S20 5	51	S203 and (command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:41
S20 6	0	("(p2por(peer\$1neartonearpeer\$1) andshar\$3andnapsterandIM").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 19:57

S20 7	18	(p2p or (peer\$1 near to near peer\$1)) and shar\$3 and napster and IM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:58
S20 8	16	S207 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 20:04
S20 9	0	S208 and (monitor\$3 near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:59
S21 0	167	S194 and (monitor\$3 near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:59
S21 1	95	S210 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:59
S21 2	2	S211 and (command) and irc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 19:59
S21 3	0	mintor\$3 near (command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 20:03
S21 4	0	mintor\$3 with (command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 20:03
S21 5	31451	monitor\$3 with (command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 20:03
S21 6	149	S194 and S215	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 20:04

S21 7	67	S216 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 20:11
S21 8	0	(remote near montior\$3) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:33
S21 9	0	(remote near montior\$3) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:33
S22 0	0	(remote near montior\$3) and (irc or (instant near messaging))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:01
S22 1	0	(remote near montior\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:34
S22 2	18787	(remote near monitor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:34
S22 3	100	(remote near monitor\$3) and (irc or (instant near messaging))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:38
S22 4	54	S223 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:39
S22 5	1477	(remote near monitor\$3) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:38
S22 6	88	((remote near monitor\$3) same server) and (irc or chat or (instant near messaging))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:39

S22 7	65	S226 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:46
S22 8	265	(napster) same shar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:45
S22 9	152	S228 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 13:01
S23 0	100	monitor\$3 and S229	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 12:49
S23 1	47	(monitor\$3 with server) and S229	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 13:01
S23 2	236	(monitor\$3 with server) and ((sign near on) or (log near in))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 13:01
S23 3	169	S232 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:00
S23 4	93	S233 and (authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 13:59
S23 5	18787	(remote near monitor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:00
S23 6	9239	(709/223-225).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:00

S23 7	0	("l18andl19").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:00
S23 8	360	S235 and S236	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:00
S23 9	281	S238 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:25
S24 0	5	S239 and (irc or (instant near messaging))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:21
S24 1	2853	(monitor\$3 with remote with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:25
S24 2	291	S236 and S241	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:21
S24 3	214	S242 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:24
S24 4	11	S243 and (irc or (instant near messaging))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:22
S24 5	131	(monitor\$3 with remote with server with command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:25
S24 6	69	S245 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 14:40

S24 7	4347	(709/224).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:40
S24 8	3403	S247 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:04
S24 9	193	S248 and (remote near monitor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:36
S25 0	412785	(authenticat\$3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:02
S25 1	7873	(authenticat\$3 near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:02
S25 2	88	S251 and (remote near monitor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:47
S25 3	56	S252 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:06
S25 4	1640	remote near authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:06
S25 5	52	S247 and S254	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:06
S25 6	36	S255 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:46

S25 7	1	(remote near monitor) same ((instant near messaging) or irc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:37
S25 8	45	(remote near monitor) and ((instant near messaging) or irc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:37
S25 9	22	S258 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:37
S26 0	158	(napster) and ((peer\$1 near to near peer\$1) or p2p)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:46
S26 1	98	S260 and @ad < "20021101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:47
S26 2	0	S261 and (remote near monitor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/10 15:47